

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	13	((soil visco-elast ⁷) and ((lid plate top cover) near ⁴ (displacement distance)) and (bias spring) and (load force pressure stress strain torque torsion)).clm.	US-PGPU B; USPAT; EPO; JPO	OR	ON	2005/09/13 15:55

Interference Search

@ 9/13/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6403	((measur\$5 test\$5 calculat\$4) near4 displacement).clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:37
L2	36	L1 and (soil visco-elast\$6).clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:37
L3	0	L1 and (soil and visco-elast\$6).clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:39
L4	0	L1 and (soil and visco-elast\$6).clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:37
L5	313	73/856.ccls.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:37
L6	0	5 and (soil and visco-elast\$6)	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:39
L7	1	5 and (soil and visco\$7)	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:39
L8	3	((plate near4 guide) near5 spring) near4 displacement).clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:42
L9	601	displacement near4 (soil visco-elast\$6)	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:42
L10	52	L9 and spring.clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:42
L11	17	L10 and plate.clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:42
L12	601	displacement near4 (soil visco-elast\$6)	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:42
L13	53	L9 and spring.clm.	US-PGPU B; USPAT; EPO; JPO	OR	ON	2005/09/13 14:43

L14	17	L10 and plate.clm.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 14:43
L15	20	L10 and plate.clm.	US-PGPU B; USPAT; EPO; JPO	OR	ON	2005/09/13 14:44
L16	113	visco-elast\$6 near4 media	US-PGPU B; USPAT; EPO; JPO	OR	ON	2005/09/13 14:45

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	113	visco-elast\$6 near4 media	US-PGPU B; USPAT; EPO; JPO	OR	ON	2005/09/13 14:45
L17	268	73/847,853.ccls.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 15:40
L18	362	73/847,853,852.ccls.	US-PGPU B; USPAT; EPO; JPO	OR	OFF	2005/09/13 15:49
L19	0	((soil visco-elast\$7) near4 ((lid plate top cover) near3 (displace\$5 distance)) near4 (bias spring) near6 (load force pressure stress strain torque torsion)).clm.	US-PGPU B; USPAT; EPO; JPO	OR	ON	2005/09/13 15:55